

Amendment and Response

Applicant: Richard L. Schober

Serial No.: 09/977,670

Filed: October 12, 2001

Docket No.: 10011259/A310.256.101

Title: METHOD AND SYSTEM TO PROCESS A MULTICAST REQUEST PERTAINING TO A PACKET RECEIVED AT AN INTERCONNECT DEVICE

IN THE CLAIMS

Please amend claims 1-3, 14-17, 21-22, and 24-26 as follows:

1. (Currently Amended) A method to process a multicast transfer request within an interconnect device, the method including:

receiving the multicast transfer request pertaining to a packet stored by the interconnect device;

spawning a number of unicast transfer requests based on the multicast transfer request, wherein the unicast transfer requests are specified by a set of bits within a multicast vector;

generating a spawn count of the number of unicast transfer requests spawned based on the multicast request;

~~responsively~~ responding to a generation of a transfer grant for at least one of the number of unicast transfer requests;

determining whether transfer grants have been generated for all of the number of unicast transfer requests;

discarding the packet to which the multicast transfer request pertains, if transfer grants have been generated for all of the number of unicast transfer requests; ~~then discarding the packet to which the multicast transfer request pertains;~~ and

retaining the packet to which the multicast transfer request pertains, if transfer grants have not been generated for all of the number of unicast transfer requests; ~~then retaining the packet to which the multicast transfer request pertains.~~

2. (Currently Amended) The method of claim 1 wherein the discarding of the packet includes freeing a memory location at which the packet is stored by the interconnect device, and wherein the retaining of the packet includes continuing storage at the memory location at which the packet is stored by the interconnect device.

Amendment and Response

Applicant: Richard L. Schober

Serial No.: 09/977,670

Filed: October 12, 2001

Docket No.: 10011259/A310.256.101

Title: METHOD AND SYSTEM TO PROCESS A MULTICAST REQUEST PERTAINING TO A PACKET RECEIVED AT AN INTERCONNECT DEVICE

3. (Currently Amended) The method of claim 1 including ~~generating a spawn count of the number of unicast transfer requests spawned based on the multicast transfer request, and~~ maintaining a transfer grant count of a number of transfer grants generated responsive to the number of unicast transfer requests, wherein the determination includes determining whether the transfer grant count equals the spawn count.
4. (Original) The method of claim 1 including generating a spawn count of the number of unicast transfer requests spawned based on the multicast transfer request, and decrementing the spawn count responsive to the generation of the transfer grant, wherein the determining includes determining whether the spawn count is equal to zero.
5. (Original) The method of claim 3 wherein the packet is received at an input port of the interconnect device and wherein the packet is stored at a memory location associated with the input port.
6. (Original) The method of claim 5 wherein the multicast transfer request is issued from the input port to an arbiter.
7. (Original) The method of claim 6 wherein the arbiter is a central arbiter associated with the interconnect device and is coupled to receive and arbitrate between transfer requests received from a plurality of input ports of the interconnect device.
8. (Original) The method of claim 6 wherein the spawning and the generation of the spawn count are performed by the arbiter, and wherein the spawn count is communicated to, and stored at, the memory location in association with the packet.
9. (Original) The method of claim 5 wherein the determination is performed by a grant controller associated with the input port.

Amendment and Response

Applicant: Richard L. Schober

Serial No.: 09/977,670

Filed: October 12, 2001

Docket No.: 10011259/A310.256.101

Title: METHOD AND SYSTEM TO PROCESS A MULTICAST REQUEST PERTAINING TO A PACKET RECEIVED AT AN INTERCONNECT DEVICE

10. (Original) The method of claim 3 wherein the generation of the spawn count includes identifying a number of output ports of the interconnect device to which the packet should be transmitted.

11. (Original) The method of claim 10 wherein the identifying of the number of output ports includes performing a lookup on a multicast forwarding table utilizing a destination address of the multicast transfer request.

12. (Original) The method of claim 11 wherein the lookup is to retrieve a multicast vector comprising a sequence of bits, at least one of the sequence of bits being set to identify an output port of the interconnect device.

13. (Original) The method of claim 12 wherein the identifying of the number of output ports includes performing a count of a number of set bits within the multicast vector.

14. (Currently Amended) A system to process a multicast transfer request within an interconnect device, the system including:

a multicast processor to spawn a number of unicast transfer requests based on the multicast transfer request, the multicast transfer request pertaining to a packet stored by the interconnect device, wherein the multicast processor is configured to generate a spawn count of the number of unicast transfer requests spawned based on the multicast transfer request;

a grant control coupled to receive transfer grants from an arbiter of the interconnect device and, responsive to receipt of a transfer grant for at least one of the number of unicast transfer requests, to determine whether transfer grants have been generated for all of the number of unicast transfer requests;

wherein the grant control, if transfer grants have been generated for all the number of unicast transfer requests, is to discard the packet to which the multicast transfer request pertains and, if transfer grants have not been generated for all of the number of unicast transfer requests, is to retain the packet to which the multicast transfer request pertains.

Amendment and Response

Applicant: Richard L. Schober

Serial No.: 09/977,670

Filed: October 12, 2001

Docket No.: 10011259/A310.256.101

Title: METHOD AND SYSTEM TO PROCESS A MULTICAST REQUEST PERTAINING TO A PACKET RECEIVED AT AN INTERCONNECT DEVICE

15. (Currently Amended) The system of claim 14 wherein the ~~control~~ grant control is configured to discard the packet by freeing a memory location at which the packet is stored by the interconnect device, and to retain the packet by continuing storage at the memory location at which the packet is stored by the interconnect device.

16. (Currently Amended) The system of claim 14 wherein the ~~multicast processor is to generate a spawn count of the number of unicast transfer requests spawned based on the multicast transfer request, and the grant control is~~ configured to maintain a transfer grant count of a number of transfer grants generated and receipt by the grant control responsive to the number of unicast transfer requests, wherein the grant control is configured to determine whether the transfer grant count equals the spawn count.

17. (Currently Amended) The system of claim 14 wherein the multicast processor is configured to generate a spawn count of the number of unicast transfer requests spawned based on the multicast transfer request, and the grant controller is configured to decrement the spawn count responsive to the generation and receipt by the grant control of the transfer grant, wherein the grant control is configured to determine whether the spawn count is equal to zero.

18. (Original) The system of claim 16 wherein the packet is received at an input port of the interconnect device and wherein the packet is stored at a memory location associated with the input port.

19. (Original) The system of claim 18 wherein the multicast transfer request is issued from the input port to an arbiter, and wherein the arbiter includes the multicast processor.

20. (Original) The system of claim 19 wherein the arbiter is a central arbiter associated with the interconnect device and is coupled to receive and arbitrate between transfer requests received from a plurality of input ports of the interconnect device.

Amendment and Response

Applicant: Richard L. Schober

Serial No.: 09/977,670

Filed: October 12, 2001

Docket No.: 10011259/A310.256.101

Title: METHOD AND SYSTEM TO PROCESS A MULTICAST REQUEST PERTAINING TO A PACKET RECEIVED AT AN INTERCONNECT DEVICE

21. (Currently Amended) The system of claim 19 wherein the multicast processor is configured to communicate the spawn count for storage at the memory location in association with the packet.

22. (Currently Amended) The system of claim 16 wherein the multicast processor, during generation of the spawn count, is configured to identify a number of output ports of the interconnect device to which the packet should be transmitted.

23. (Original) The system of claim 22 wherein the multicast processor used to perform a lookup on a multicast forwarding table utilizing a destination address of the multicast transfer request to identify the number of output ports of interconnect device to which the packet should be transmitted.

24. (Currently Amended) The system of claim 23 wherein the multicast processor is configured to perform the lookup to retrieve a multicast vector comprising a sequence of bits, at least one of the sequence of bits being set to identify an output port of the interconnect device.

25. (Currently Amended) The system of claim 24 wherein the multicast processor is configured to identify the number of output ports by performing a count of a number of set bits within the multicast vector.

26. (Currently Amended) A machine-readable medium storing a description of a circuit, said circuit comprising:

a multicast processor to spawn a number of unicast transfer requests based on the multicast transfer request, the multicast transfer request pertaining to a packet stored by the interconnect device; wherein the multicast processor is configured to generate a spawn count of a number of unicast transfer requests spawned based on the multicast transfer request;

a grant control coupled to receive transfer grants from an arbiter of the interconnect device and, responsive to receipt of a transfer grant for at least one of the number of unicast

Amendment and Response

Applicant: Richard L. Schober

Serial No.: 09/977,670

Filed: October 12, 2001

Docket No.: 10011259/A310.256.101

Title: METHOD AND SYSTEM TO PROCESS A MULTICAST REQUEST PERTAINING TO A PACKET RECEIVED AT AN INTERCONNECT DEVICE

transfer requests, to determine whether transfer grants have been generated for all of the number of unicast transfer requests;

wherein the grant control, if transfer grants have been generated for all of the number of unicast transfer requests, is to discard the packet to which the multicast transfer request pertains and, if transfer grants have not been generated for all of the number of unicast transfer requests, is to retain the packet to which the multicast transfer request pertains.

27. (Original) The machine-readable medium of claim 26 wherein the description comprises a behavioral level description of the circuit.

28. (Original) The machine-readable medium of claim 27 wherein the behavioral level description is compatible with a VHDL format.

29. (Original) The machine-readable medium of claim 26 wherein the behavioral level description is compatible with a Verilog format.

30. (Original) The machine-readable medium of claim 26 wherein the description comprises a register transfer level netlist.

31. (Original) The machine-readable medium of claim 26 wherein the description comprises a transistor level netlist.